

ECKO LOOSE NAILS (INTERIOR) BPIR DECLARATION

Version 1.0 October 2023



DESIGNATED BUILDING PRODUCT: Class 1

DECLARATION

ECKO Fastening Systems Limited (ECKO Fastenings) has provided this declaration to satisfy the provisions of the [Building \(Building Product Information Requirements\) Regulations 2022](#).

COMPANY DETAILS

Name	ECKO Fastening Systems Limited
Role	Supplier
NZBN	9429031498531
Address	17 Carpenter Road, East Tamaki, Auckland 2013
Website	www.ecko.co.nz
Email	info@ecko.co.nz

DESCRIPTION OF BUILDING PRODUCT

Whilst all of ECKO Fastening loose nails (exterior) may be used for interior applications, ECKO Fastening also supplies loose nails for interior applications only.

ECKO flat head and jolt head nails are supplied for general with a diameter 2.00 – 4.00 mm, lengths 40 – 100 mm and a smooth shaft. The nails have no protective coating applied and are therefore described as bright.

ECKO Fastening also supplies nails for use with plasterboard. These nails are supplied with an annular groove shaft, 2.8 mm in diameter and in two lengths; 30 and 40mm. They have applied a yellow zinc coating that increases resistance to corrosion.

For more specific information in respect of nail options and applications relating to ECKO Fastening loose nails refer to [ECKO Loose Nails Brochure](#).

CONTRIBUTION TO BUILDING WORK CODE OBLIGATIONS

ECKO Fastening loose nails (interior) comply with the following building code clauses.

	Evidence
B1 (Structure) B1.3.1, B1.3.2 B1.3.3 (a, f, h, i, j, m, q)	Section 4, NZS3604:2011, table 4.1, allows non-galvanised, mild steel in all zones where used in closed environments.
B2 (Durability) B2.3.1 (a, b)	ECKO nails are manufactured from steel wire and then supplied without a coating or with yellow zinc, which meets or exceeds the requirements of table 4.1.
F2 (Hazardous Building Materials) F2.3.1	

ECKO FASTENING SYSTEMS LIMITED

17 CARPENTER ROAD, EAST TAMAKI, AUCKLAND 2013

www.ecko.co.nz

Uncontrolled in printed format



FOR FURTHER INFORMATION

ECKO Fastening loose nails must be used in accordance with all information supplied by ECKO Fastening Systems Limited.

For supporting information refer to www.ecko.co.nz.

RESPONSIBLE PERSON

In accordance with Regulation 8, as the responsible person I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that the ECKO Fastenings Staples referred to in this statement is not subject to a warning or ban under [s26 of the Building Act](#).

Signed for and on behalf **ECKO Fastening Systems Ltd:**

Darren Liu

Darren Liu
DIRECTOR

October 2023